

Domestic connector - with hinged lid and child protection, System E Belgian/French standard


Product description	
BALS-Prd.-Nr	749309
EAN	4024941854085
Product category	Domestic connector
Current	16A
Number of poles	3p
Poles	2P+PE
Voltage	250V
Frequency	alternating current (AC)
Protection degree	IP54
Colour code	red RAL 3000
Colour of appliance	Collar black RAL 9005, Housing cover red RAL 3000, Hinged lid black RAL 9005, Cable gland black RAL 9005
Connection design	head-screw terminal
Maximum conductor size	4,0 qmm
Cable entry	Cable gland
Height	123mm
Width	52mm
Depth	64mm
Material of enclosure	Polyamide

Product description	
Contact	The contact carrier is made of polyamide, the contacts are brass nickel plated

Additional technical properties	
	With increased contact protection (shutter)
	Multi-Grip cable gland with gasket and integrated strain relief
	With self-closing hinged lid

Logistics data	
Weight/pcs	0.099 kg / Piece
Packaging	Bag
Content amount	1 ST
EAN	4024941854085
Length	64 mm
Width	52 mm
Height	123 mm
Weight	0.1 kg
Volume	409.344 ccm
Packaging	Carton
Content amount	20 ST
EAN	4024941324793
Length	245 mm

Logistics data	
Width	177 mm
Height	185 mm
Weight	2.113 kg
Volume	7,140 ccm



18 MB 120