



UFO 131/4

Input 4 channel DVB-T/T2 CI

Order no.: 206500023



- Input 4 channel DVB-T/T2 CI
- 2 PCMCIA CI Slots
- Occupies one Slot
- Setup via web interface UFO 101

- Input 4 channel DVB-T/T2 CI
- 2 PCMCIA CI Slots
- Occupies one Slot
- Setup via web interface UFO 101

Status 08/2023

Technische Daten / Technical Data:

Inputs	
Sat-IF input	2x F connectors, 75 Ω
Frequency range MHz	47–862
CAM	2x PCMCIA CI slots Support mainstream CAS
Signal level dBm	-80~20
Bandwidth MHz	6/7/8
Remote feed current Antenna mA	max. 50 (Independent for each Antenna)
Demodulation DVB-T/T2	
Number of tuner	4
Compliance DVB-T/T2	EN 300744 / EN 302755-V1.31
Modulations-Standards	
	DVB-T QPSK/16QAM/64QAM
	DVB-T2 QPSK/16QAM/64QAM/256QAM
Guard Intervall	
	DVB-T MS/s 1/4, 1/8, 1/16, 1/32
	DVB-T2 MS/s 1/4, 1/8, 1/16, 1/32, 1/128, 19/256, 19/128
FFT Size	
	DVB-T 2K, 8K
	DVB-T2 1K, 2K, 4K, 8K, 16K, 32K
Power	22 W

Downloads

- [UFO 111/4 – Product data sheet \(Version: 08/2023 - Größe: 128.96 KB\)](#)
- [UFO 110/8 - Product data sheet \(Version: 08/2023 - Größe: 139.43 KB\)](#)
- [Kathrein UFOpro Overview \(Version: 08/2023 - Größe: 389.08 KB\)](#)

Status 08/2023



Produkt Galerie:

